



ALL HOSE & VALVES
EST. 2008
BRENDALE • CABOOLTURE • GOLD COAST

HOSE - PVC PRESSURE

Safety Yellow

High quality Air / Water hose with strong durability and excellent flexibility. It's highly visible cover makes it an ideal choice for industrial applications, hard wearing applications. Meets AS/NZS 2554 Class B requirements



SIZE	ID	OD	PRESSURE (PSI)	COIL	CODE
1/4	6.0	12.0	230	20,100,300	PVCSYH006
5/16	8.0	14.0	230	20,100,300	PVCSYH008
3/8	10.0	17.0	230	20,100,200	PVCSYH010
1/2	12.5	19.0	230	20,100,200	PVCSYH012
3/4	20.0	28.0	230	20,100	PVCSYH020
1	25.0	34.0	230	20,100	PVCSYH025
1 1/4	32.0	44.0	230	20	PVCSYH032
1 1/2	38.0	51.0	230	20	PVCSYH040
2	50.0	63.0	230	20	PVCSYH050

Clear Multi - Purpose

Premium quality clear (blue tint) multi purpose hose suitable for air, water, and mild chemical applications. Hose compound conforms to AS/NZS 2070 (Plastics for Food Contact) making it suitable for general food applications. This hose also conforms to AS/NZS 2554 and has a moderate level of UV protection.



SIZE	ID	OD	PRESSURE (PSI)	COIL	CODE
1/4	6.0	11.0	230	20,100,300	PVCTMP006
5/16	8.0	13.0	230	20,100,300	PVCTMP008
3/8	10.0	15.0	230	20,100,200	PVCTMP010
1/2	12.5	18.0	230	20,100,200	PVCTMP012
5/8	16.0	22.0	230	20,100	PVCTMP016
3/4	20.0	28.0	230	20,100	PVCTMP020
1	25.0	34.0	230	20,100	PVCTMP025
1 1/4	32.0	44.0	230	20	PVCTMP032
1 1/2	38.0	51.0	230	20	PVCTMP040
2	50.0	63.0	230	20	PVCTMP050

Blue Air Hose

Premium quality hose suitable for heavy duty industrial applications including air compressors & pneumatic tools. Manufactured from premium polymers to conform to AS/NZS 2554 Class B. Hose has great flexibility even at lower temperatures plus an abrasion resistant cover. This hose is UV Stabilised to suit extreme Australian conditions



SIZE	ID	OD	PRESSURE (PSI)	COIL	CODE
3/8	10.0	16.0	230	20,100,300	PVCBAH010
1/2	12.5	19.0	230	20,100,200	PVCBAH012



Clear Vinyl Tubing

General purpose low pressure non reinforced clear (blue tint) tube suitable for air, water, and general applications. Tube compound conforms to AS/NZS 2070 (Plastics for Food Contact) making it suitable for food applications. This tube has good chemical resistance and a moderate level of UV protection.



SIZE	ID	OD	COIL	CODE
1/8	3.0	5.0	30,100	PVCCVT003
3/16	5.0	8.0	30,100	PVCCVT005
1/4	6.0	9.0	30,100	PVCCVT006
5/16	8.0	11.0	30,100	PVCCVT008
3/8	10.0	13.0	30,100	PVCCVT010
1/2	12.0	15.0	30,100	PVCCVT012
5/8	16.0	19.0	30	PVCCVT016
3/4	20.0	24.0	30	PVCCVT020
1	25.0	30.0	30	PVCCVT025
1 ¼	32.0	38.0	30	PVCCVT032
1 ½	40.0	47.0	30	PVCCVT040
2	50.0	58.0	30	PVCCVT050

Drinking Water Hose

A white hose manufactured from a unique polyolefin compound that will not impart a taint to water. Suitable for conveyance of drinking water in caravans, boats and RV's. This hose has a high level of U V stabilisation for long life, it is dimensioned to suit click on garden fittings. Conforms to AS/NZS 2070 (Plastics for Food Contact)



SIZE	ID	OD	PRESSURE (PSI)	PRESSURE COIL	CODE
1/2	12.5	17.1	145	20,100	PVCDWH012

Chemical Spray Hose

Highly chemical resistant hose manufactured from polymer with high nitrile content and polymeric plasticiser giving it great flexibility as well as unsurpassed chemical and UV resistance.

Recommended Use: Recommended for chemical sprays using a wide range of pesticide and weedicide chemicals



SIZE	ID	OD	PRESSURE (PSI)	COIL	CODE
5/16	8.0	14.0	290	20,100	PVCCSH008
3/8	10.0	17.0	290	20,100,300	PVCCSH010
1/2	10.0	15.0	290	20,100,200	PVCCSH012
3/4	12.5	18.0	232	20,100	PVCCSH020
1	16.0	22.0	232	20,100	PVCCSH025



White Washdown Hose

Premium quality cold water hose suitable for industrial and rural washdown applications. A very flexible hose manufactured from premium polymers. Hose has great flexibility even at low temperatures and an abrasion resistant cover. This hose is UV Stabilised to suit extreme Australian conditions. Hose also conforms to AS/NZS 2554 & AS/NZS 2070.



SIZE	ID	OD	PRESSURE (PSI)	COIL	CODE
3/4	20.0	28.0	145	20,100	PVCWDH020
1	10.0	17.0	145	20,30,100	PVCWDH025
1 ¼	10.0	15.0	145	20,30,60,100	PVCWDH032
1 ½	12.5	18.0	145	20,60	PVCWDH040

Drum Pump Hose

Designed for 44 gallon drum pums and overhead gravity feed fuel oil tanks. Special PVC compound provides for a flexible hose at low temperatures, Brown cover with 2 distinctive red stripes, UV stabilised.



SIZE	ID	OD	PRESSURE (PSI)	COIL	CODE
3/4	20.0	28.0	145	20,100	PVCWDH020
1	10.0	17.0	145	20,30,100	PVCWDH025

Purple Sullage Hose

General purpose non reinforced hose for the dispersal of grey waste water. Not for use on pressurised systems. Hose cover is UV stabilised Lilac (purple) with a smooth finish. The 18mm hose is dimensioned to suit plastic click on garden hose fittings. Printed 'WASTE WATER DO NOT DRINK'.



SIZE	NOMINAL ID	PRESSURE (PSI)	COIL	CODE
3/4	18.0	43	20,30,100	PVCPSH018
1	25.0	43	20,30,80	PVCPSH025

Fire Reel Hose

A flexible robust heavy duty hose with a ribbed PVC cover for use on Fire Hose Reels or in fire fighting applications. Hose has excellent durability and UV stability. Conforms to AS/NZS 1221.



SIZE	ID	OD	OSSES	COIL	CODE
3/4	19.0	26.0	145	20,25,30,36,100	PVCPSH018
1	25	34.1	145	20,30,36,100	PVCPSH025